

RHAM EQUIPMENT (PTY) LIMITED



SPECIFICATION SHEET

RHAM UTILITY VEHICLE MODEL UV5000-C VENT PIPE SCISSOR LIFT - CASSETTE

DIMENSIONS:

PLATFORM:

- \rightarrow Cassette fully loaded
- \rightarrow Cassette fully extended in machine
- → Cassette width
- → Cassette platform area

HYDRAULICS:

- \rightarrow 1 X Single Bank Valve with quick coupler interface.
- \rightarrow 2 X Double Acting Cylinders with load lock valves with quick coupler interface.

WEIGHT:

 \rightarrow Weight

2500mm 4280mm 2500mm 5.5m³

- \rightarrow The platform is constructed from a steel tubular frame, with hand rails welded around the perimeter.
- \rightarrow The platform us fitted with a bracket that can hold a vent pipe up to 1100mm diameter.
- \rightarrow Safety chains are fitted to the platform to protect the operator from falling when the vent pipe is not fitted.
- \rightarrow The platform is able to raise 1880mm.
- \rightarrow Maximum allowable mass allowed on the platform must not exceed 500kg (This will be clearly marked on the side of the machine.
- \rightarrow All cassettes will work on a P.T.O. (Pilot Take off) principal.
 - \rightarrow Cassette function is interlocked with brake and tramming controls.



RHAM RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE

1.4 ton